

---

## Bibliography

---

- [1] Carruthers, G.R. (1971). Far-ultraviolet spectra and photometry of Perseus stars, *Astrophys. J.* **166**, 349–359.
- [2] Spitzer, L., Drake, J.F., Jenkins, E.B., Morton, D.C., Rogerson, J.B. and York, D.G. (1973). Spectrophotometric results from the *Copernicus* satellite IV. Molecular hydrogen in interstellar space, *Astrophys. J.* **181**, L116–L121.
- [3] Shull, J.M., Tumlinson, J., Jenkins, E.B. et al. (2000). *Far ultraviolet spectroscopic explorer* observations of diffuse interstellar molecular hydrogen, *Astrophys. J.* **538**, L73–L76.
- [4] The *Infrared Space Observatory* (ISO) special issue (1996). *Astron. Astrophys.* **315**(2).
- [5] Cravens, T.E., Victor, G.A. and Dalgarno, A. (1975). The absorption of energetic electrons by molecular hydrogen gas, *Planet. Space Sci.* **23**, 1059–1070.
- [6] Prasad, S.S. and Tarafadar, S.P. (1983). Ultraviolet radiation field inside dense clouds: its possible existence and chemical implications, *Astrophys. J.* **267**, 603–609.
- [7] Gredel, R., Lepp, S. and Dalgarno, A. (1987). The C/CO ratio in dense interstellar clouds, *Astrophys. J.* **323**, L137–L139.
- [8] Hollenbach, D.J. and Salpeter, E.E. (1971). Surface recombination of hydrogen molecules, *Astrophys. J.* **163**, 155–164.
- [9] Hollenbach, D.J., Werner, M.W. and Salpeter, E.E. (1971). Molecular hydrogen in H I regions, *Astrophys. J.* **163**, 165–180.
- [10] Williams, D.A., Williams, D.E., Clary, D. et al. (2000). The energetics and efficiency of H<sub>2</sub> formation on the surface of simulated interstellar grains, in *Molecular hydrogen in Space*, ed. F. Combes and G. Pineau des Forêts (Cambridge University Press, Cambridge), pp. 99–106.
- [11] Morisset, S., Aguillon, F., Sizun, M. and Sidis, V. (2003). Quantum wavepacket investigation of Eley Rideal formation of H<sub>2</sub> on a relaxing graphite surface, *Chem. Phys. Letters* **378**, 615–621.
- [12] Herbst, E. and Klemperer, W. (1973). The formation and depletion of molecules in dense interstellar clouds, *Astrophys. J.* **185**, 505–533.
- [13] Goldsmith, P.F., Melnick, G.J., Bergin, E.A. et al. (2000). O<sub>2</sub> in interstellar molecular clouds, *Astrophys. J.* **539**, L123–L127.

- [14] Bergin, E.A., Melnick, G.J., Stauffer, J.R. et al. (2000). Implications of Submillimeter Wave Astronomy Satellite observations for interstellar chemistry and star formation, *Astrophys. J.* **539**, L129–L132.
- [15] Graedel, T.E., Langer, W.D. and Frerking, M.A. The kinetic chemistry of dense interstellar clouds, (1982). *Astrophys. J. Suppl.* **48**, 321–368.
- [144] Larsson, M., Danared, H., Mowat, J.R. et al. (1993). Direct high-energy neutral-channel dissociative recombination of cold  $\text{H}_3^+$  in an ion storage ring, *Phys. Rev. Lett.* **70**, 430–433.
- [17] McCall, B.J., Huneycutt, A.J., Saykally, R.J. et al. (2003). An enhanced cosmic-ray flux towards  $\zeta$  Persei inferred from a laboratory study of the  $\text{H}_3^+$  recombination rate, *Nature* **422**, 500–502.
- [18] Pineau des Forêts, G., Roueff, E. and Flower, D.R. (1992). The two chemical phases of dark interstellar clouds, *Mon. Not. Roy. Astron. Soc.* **258**, 45P–47P.
- [19] LeBourlot, J., Pineau des Forêts, G., Roueff, E. and Schilke, P. (1993). Bistability in dark cloud chemistry, *Astrophys. J.* **416**, L87–L90.
- [20] Goldsmith, D.W., Habing, H.J. and Field, G.B. (1969). Thermal properties of interstellar gas heated by cosmic rays, *Astrophys. J.* **158**, 173–183.
- [21] Black, J. and Dalgarno, A. (1977). Models of interstellar clouds I. The  $\zeta$  Ophiuchi cloud, *Astrophys. J. Suppl.* **34**, 405–423.
- [22] Hollenbach, D.J. and Shull, J.M. (1977). Vibrationally excited molecular hydrogen in Orion, *Astrophys. J.* **216**, 419–426.
- [23] Kwan, J. (1977). On the molecular hydrogen emission at the Orion Nebula, *Astrophys. J.* **216**, 713–723.
- [24] London, R., McCray, R. and Chu, S.-I. (1977). A shock model for infrared line emission from  $\text{H}_2$  molecules, *Astrophys. J.* **217**, 442–447.
- [25] Nadeau, D. and Geballe, T.R. (1979). Velocity profiles of the  $2.1 \mu\text{m}$   $\text{H}_2$  emission line in the Orion molecular cloud, *Astrophys. J.* **230**, L169–L173.
- [26] Field, G.B., Rather, J.D.G., Aannestad, P.A. and Orszag, S.A. (1968). Hydromagnetic shock waves and their infrared emission in H I regions, *Astrophys. J.* **151**, 953–975.
- [27] Mullan, D.J. (1971). The structure of transverse hydromagnetic shocks in regions of low ionization, *Mon. Not. Roy. Astron. Soc.* **153**, 145–170.
- [28] Hollenbach, D.J. and McKee, C.F. (1979). Molecule formation and infrared emission in fast interstellar shocks I. Physical processes, *Astrophys. J. Suppl.* **41**, 555–592.
- [29] Draine, B.T. (1980). Interstellar shock waves with magnetic precursors, *Astrophys. J.* **241**, 1021–1038.
- [30] Smith, M.D. and Mac Low, M.-M. (1997). The formation of C-shocks: structure and signatures, *Astron. Astrophys.* **326**, 801–810.
- [31] Chièze, J.-P., Pineau des Forêts, G. and Flower, D.R. (1998). Temporal evolution of MHD shocks in the interstellar medium, *Mon. Not. Roy. Astron. Soc.* **295**, 672–682.
- [32] Lesaffre, P., Chièze, J.-P., Cabrit, S. and Pineau des Forêts, G. (2004a). Temporal evolution of magnetic molecular shocks I. Moving grid simulations, *Astron. Astrophys.* **427**, 147–155.

- [33] Lesaffre, P., Chièze, J.-P., Cabrit, S. and PineaudesForêts, G. (2004b). Temporal evolution of magnetic molecular shocks II. Analytically of the steady state and semi-analytical construction of intermediate ages, *Astron. Astrophys.* **427**, 157–167.
- [34] Draine, B.T. (1986). Multicomponent, reacting MHD flows, *Mon. Not. Roy. Astron. Soc.* **220**, 133–148.
- [35] Richtmyer, R.D. and Morton, K. W. (1957). *Difference Methods for Initial-value Problems* (John Wiley & Sons, New York).
- [36] Osterbrock, D.E. (1961). On ambipolar diffusion in H I regions, *Astrophys. J.* **134**, 270–272.
- [37] Flower, D.R. (2000). Momentum transfer between ions and neutrals in molecular gas, *Mon. Not. Roy. Astron. Soc.* **313**, L19–L21.
- [38] Draine, B.T. and Sutin, B. (1987). Collisional charging of interstellar grains, *Astrophys. J.* **320**, 803–817.
- [39] Snell, R.L., Hollenbach, D.J., Howe, J.E., Neufeld, D.A., Kaufman, M.J., Melnick, G.J., Bergin, E.A. and Wang, Z. (2005). Detection of water in the shocked gas associated with IC 443: constraints on shock models, *Astrophys. J.* **620**, 758–773.
- [40] Bennett, O.J., Dickinson, A.S., Leininger, T., Gadéa, F.X. (2003). Radiative association in Li+H revisited: the role of quasi-bound states, *Mon. Not. Roy. Astron. Soc.* **341**, 361–368.
- [41] Spitzer, L. (1978). *Physical processes in the interstellar medium* (John Wiley & Sons, New York).
- [42] Chandrasekhar, S. and Fermi, E. (1953). Problems of gravitational stability in the presence of a magnetic field, *Astrophys. J.* **118**, 116–141.
- [43] *Atomic, Molecular & Optical Physics Handbook* (2006). ed. G.W.F. Drake (Springer-Verlag)
- [44] Arthurs, A.M. and Dalgarno, A. (1960). The theory of scattering by a rigid rotator, *Proc. Roy. Soc. London* **A256**, 540–551.
- [45] Pack, R.T. (1974). space-fixed vs. body-fixed axes in atom-diatom molecule scattering. Sudden approximations, *J. Chem. Phys.* **60**, 633–639.
- [46] Percival, I.C. and Seaton, M.J. (1957). The partial wave theory of electron-hydrogen atom collisions, *Proc. Cambridge Phil. Soc.* **53**, 654–662.
- [47] Abramowitz, M. and Stegun, I.A. (1965). *Handbook of Mathematical Functions* (Dover Publications, New York).
- [48] Rose, M.E. (1957). *Elementary Theory of Angular Momentum* (John Wiley & Sons, New York).
- [49] Brink, D.M. and Satchler, G.R. (1968). *Angular Momentum* (Clarendon Press, Oxford).
- [50] Edmonds, A.R. (1960). *Angular Momentum in Quantum Mechanics* (Princeton University Press, Princeton N.J.).
- [51] Messiah, A. (1969). *Quantum Mechanics, vol. 2* (North Holland Publishing, Amsterdam).
- [52] Launay, J.-M. (1976). body-fixed formulation of rotational excitation: exact and centrifugal decoupling results for CO-He, *J. Phys. B: Atomic & Molecular Physics* **9**, 1823–1838.

- [53] Hutson, J.M. and Green, S. (1994). MOLSCAT version 14, distributed by Collaborative Computational Project no. 6 (Engineering & Physical Sciences Research Council, Daresbury Laboratory, UK).
- [54] Manolopoulos, D.E. and Alexander, M.H. (1992). Quantum flux redistribution during molecular photodissociation, *J. Chem. Phys.* **97**, 2527–2535.
- [55] Flower, D.R., Bourhis, G. and Launay, J.-M. (2000). MOLCOL: a program for solving atomic and molecular collision problems, *Computer Phys. Communications* **131**, 187–201.
- [56] Danby, G. (1983). Theoretical studies of Van der Waals molecules: general formulation, *J. Phys. B: Atomic & Molecular Physics* **16**, 3393–3410.
- [57] McGuire, P. and Kouri, D.J. (1974). Quantum mechanical close coupling approach to molecular collisions.  $j_z$ -conserving coupled states approximation, *J. Chem. Phys.* **60**, 2488–2499.
- [58] Tsien, T.P. and Pack, R.T. (1970a). Rotational excitation in molecular collisions: a strong coupling approximation, *Chem. Phys. Letters* **6**, 54–56.
- [59] Tsien, T.P. and Pack, R.T. (1970b). Rotational excitation in molecular collisions: corrections to a strong coupling approximation, *Chem. Phys. Letters* **6**, 400–402.
- [60] Tsien, T.P. and Pack, R.T. (1971). Rotational excitation in molecular collisions: a many-state test of the strong coupling approximation, *Chem. Phys. Letters* **8**, 579–581.
- [61] Pack, R.T. (1972). Relations between some exponential approximations in rotationally inelastic molecular collisions, *Chem. Phys. Letters* **14**, 393–395.
- [62] Secret, D. (1975). Theory of angular-momentum decoupling approximations for rotational transitions in scattering, *J. Chem. Phys.* **62**, 710–719.
- [63] Seaton, M.J. (1962). The theory of excitation and ionization by electron impact, in *Atomic and Molecular Processes*, ed. D.R. Bates (Academic Press, New York), pp. 374–420.
- [64] Townes, C.H. and Schawlow, A.L. (1955). *Microwave Spectroscopy* (McGraw-Hill, New York).
- [65] Green, S. (1976). Rotational excitation of symmetric top molecules by collisions with atoms: close coupling, coupled states and effective potential calculations for  $\text{NH}_3\text{-He}$ , *J. Chem. Phys.* **64**, 3463–3473.
- [66] Green, S. (1980). Energy transfer in  $\text{NH}_3\text{-He}$  collisions, *J. Chem. Phys.* **73**, 2740–2750.
- [67] Garrison, B.J., Lester, W.A. and Miller, W.H. (1976). Coupled-channels study of the rotational excitation of a rigid asymmetric top by atom impact: ( $\text{H}_2\text{CO}$ , He) at interstellar temperatures, *J. Chem. Phys.* **65**, 2193–2200.
- [68] Green, S., Maluendes, S. and McLean, A. D. (1993). *Astrophys. J. Suppl.* **85**, 181–185.
- [69] Pei, C.C., Gou, Q.Q., Zeng, Q. (1988). *Astron. Astrophys. Suppl.* **76**, 35–52.
- [70] Lees, R.M. (1973). On the  $E_1\text{-}E_2$  labeling of energy levels and the anomalous excitation of interstellar methanol, *Astrophys. J.* **184**, 763–771.
- [71] Lin, C.C. and Swalen, J.D. (1959). Internal rotation and microwave spectroscopy, *Rev. Mod. Phys.* **31**, 841–892.

- [72] Davis, S.L. and Entley, W.R. (1992). The torsional dependence of an interaction potential: the CH<sub>3</sub>OH–He system, *Chem. Phys.* **162**, 285–292.
- [73] Davis, S.L. (1992). Infinite–order–sudden cross sections for excitation of overall and internal rotation in CH<sub>3</sub>OH–He collisions, *J. Chem. Phys.* **97**, 6291–6299.
- [74] Flower, D.R. & Kirkpatrick, D.J. (1982). Rovibrational excitation of molecular hydrogen in collisions with helium atoms, *J. Phys. B: Atomic & Molecular Physics* **15**, 1701–1710.
- [75] Alexander, M.H. and McGuire, P. (1976). Cross sections and rate constants for low–temperature <sup>4</sup>He–H<sub>2</sub> vibrational relaxation, *J. Chem. Phys.* **64**, 452–459.
- [76] Goldflam, R., Green, S. and Kouri, D.J. (1977). Infinite order sudden approximation for rotational energy transfer in gaseous mixtures, *J. Chem. Phys.* **67**, 4149–4161.
- [77] Parker, G.A. and Pack, R.T. (1978). Rotationally and vibrationally inelastic scattering in the rotational IOS approximation, *J. Chem. Phys.* **68**, 1585–1601.
- [78] Muchnick, P. and Russek, A. (1994). The HeH<sub>2</sub> energy surface, *J. Chem. Phys.* **100**, 4336–4346.
- [79] Flower, D.R., Roueff, E. and Zeppen, C.J. (1998). Rovibrational excitation of H<sub>2</sub> molecules by He atoms, *J. Phys. B: Atomic, Molecular & Optical Physics* **31**, 1105–1113.
- [80] Eastes, W. and Secrest, D. (1972). Calculation of rotational and vibrational transitions for the collision of an atom with a rotating vibrating diatomic oscillator, *J. Chem. Phys.* **56**, 640–649.
- [81] Dabrowski, I. (1984). The Lyman and Werner bands of H<sub>2</sub>, *Can. J. Phys.* **62**, 1639–1664.
- [158] Schaefer, J. and Köhler, W.E. (1985). Quantum calculations of rotational and NMR relaxation, depolarized Rayleigh and rotational Raman line shapes for H<sub>2</sub>(HD)–He mixtures, *Physica* **129A**, 469–502.
- [83] Audibert, M.-M., Vilaseca, R., Lukasik, J. and Ducuing, J. (1976). Experimental study of the vibrational relaxation of ortho– and para–H<sub>2</sub> in collisions with <sup>4</sup>He in the range 300–50 K, *Chem. Phys. Letters* **37**, 408–411.
- [84] Dove, J.E. and Teitelbaum, H. (1974). The vibrational relaxation of H<sub>2</sub> I. Experimental measurements of the rate of relaxation by H<sub>2</sub>, He, Ne, Ar and Kr, *Chem. Phys.* **6**, 431–444.
- [85] Balakrishnan, N., Forrey, R.C. and Dalgarno, A. (1999a). Quantum–mechanical study of ro–vibrational transitions in H<sub>2</sub> induced by He atoms, *Astrophys. J.* **514**, 520–523.
- [86] Balakrishnan, N., Vieira, M., Babb, J.F., Dalgarno, A., Forrey, R.C. and Lepp, S. (1999b). Rate coefficients for ro–vibrational transitions in H<sub>2</sub> due to collisions with He, *Astrophys. J.* **524**, 1122–1130.
- [87] Flower, D.R. and Roueff, E. (1999). The influence of vibration on rotational cross sections in H<sub>2</sub> and HD, *J. Phys. B: Atomic, Molecular & Optical Physics* **32**, L171–L175.
- [88] Forrey, R.C., Balakrishnan, N., Dalgarno, A. and Lepp, S. (1997). Quantum mechanical calculations of rotational transitions in H–H<sub>2</sub> collisions, *Astrophys. J.* **489**, 1000–1003.

- [89] Sun, Y. and Dalgarno, A. (1994). Rotational excitation of  $H_2$  in collision with H, *Astrophys. J.* **427**, 1053–1056.
- [90] Mandy, M.E. and Martin, P.G. (1993). Collisional excitation of  $H_2$  molecules by H atoms, *Astrophys. J. Suppl.* **86**, 199–210.
- [91] Martin, P.G. and Mandy, M.E. (1995). Analytic temperature dependences for a complete set of rate coefficients for collisional excitation and dissociation of  $H_2$  molecules by H atoms, *Astrophys. J.* **455**, L89–L92.
- [92] Lepp, S., Buch, V. and Dalgarno, A. (1995). Collisional excitation of  $H_2$  molecules by H atoms, *Astrophys. J. Suppl.* **98**, 345–349.
- [93] Flower, D.R. and Roueff, E. (1998). Vibrational relaxation in H– $H_2$  collisions, *J. Phys. B: Atomic, Molecular & Optical Physics* **31**, L955–L958.
- [94] Schaefer, J. (1990). Rotational integral cross sections and rate coefficients of HD scattered by He and  $H_2$ , *Astron. Astrophys. Suppl.* **85**, 1101–1125.
- [95] Roueff, E. and Zeppen, C.J. (1999). Rotational excitation of HD molecules by He atoms, *Astron. Astrophys.* **343**, 1005–1008.
- [96] Roueff, E. and Flower, D.R. (1999). A quantum mechanical study of the rotational excitation of HD by H, *Mon. Not. Roy. Astron. Soc.* **305**, 353–356.
- [97] Flower, D.R. and Roueff, E. (1999). Rovibrational excitation of HD in collisions with atomic and molecular hydrogen, *Mon. Not. Roy. Astron. Soc.* **309**, 833–835.
- [98] Roueff, E. and Zeppen, C.J. (2000). Rovibrational excitation of HD molecules by He atoms, *Astron. Astrophys. Suppl.* **142**, 475–497.
- [99] Schaefer, J. and Meyer, W. (1979). Theoretical studies of  $H_2$ – $H_2$  collisions I. Elastic scattering of ground state para– and ortho– $H_2$  in the rigid rotor approximation, *J. Chem. Phys.* **70**, 344–360.
- [100] Monchick, L. and Schaefer, J. (1980). Theoretical studies of  $H_2$ – $H_2$  collisions II. Scattering and transport cross sections of hydrogen at low energies: tests of a new ab initio vibrator potential, *J. Chem. Phys.* **73**, 6153–6161.
- [101] Danby, G., Flower, D.R. and Monteiro, T.S. (1987). Rotationally inelastic collisions between  $H_2$  molecules in interstellar magnetohydrodynamical shocks, *Mon. Not. Roy. Astron. Soc.* **226**, 739–745.
- [102] Schwenke, D.W. (1988). Calculations of rate constants for the three–body recombination of  $H_2$  in the presence of  $H_2$ , *J. Chem. Phys.* **89**, 2076–2091.
- [103] Flower, D.R. (1998). The rotational excitation of  $H_2$  by  $H_2$ , *Mon. Not. Roy. Astron. Soc.* **297**, 334–336.
- [104] Flower, D.R. and Roueff, E. (1998). Rovibrational relaxation in collisions between  $H_2$  molecules I. Transitions induced by ground state para– $H_2$ , *J. Phys. B: At. Mol. Opt. Phys.* **31**, 2935–2947.
- [105] Flower, D.R. and Roueff, E. (1999). Rovibrational relaxation in collisions between  $H_2$  molecules II. Influence of the rotational state of the perturber, *J. Phys. B: At. Mol. Opt. Phys.* **32**, 3399–3407.
- [106] Audibert, M.-M., Joffrin, C. and Ducuing, J. (1974). Vibrational relaxation of  $H_2$  in the range 500–40 K, *Chem. Phys. Letters* **25**, 158–163.
- [107] Audibert, M.-M., Vilaseca, R., Lukasik, J. and Ducuing, J. (1975). Vibrational relaxation of ortho– and para– $H_2$  in the range 400–50 K, *Chem. Phys. Letters* **31**, 232–236.

- [108] Flower, D.R. and Roueff, E. (1999). Rovibrational excitation of HD in collisions with atomic and molecular hydrogen, *Mon. Not. Roy. Astron. Soc.* **309**, 833–835.
- [109] LeBourlot, J., PineaudesForêts, G. and Flower, D.R. (1999). The cooling of astrophysical media by H<sub>2</sub>, *Mon. Not. Roy. Astron. Soc.* **305**, 802–810.
- [110] Flower, D.R., LeBourlot, J., PineaudesForêts, G. and Roueff, E. (2000). The cooling of astrophysical media by HD, *Mon. Not. Roy. Astron. Soc.* **314**, 753–758.
- [111] Thorson, W.R., Choi, J.H. and Knudson, S.K. (1985). Novel theory of the HD dipole moment II. Computations, *Phys. Rev.* **A31**, 34–42.
- [112] Poll, J. D. and Wolniewicz, L. (1978). The quadrupole moment of the H<sub>2</sub> molecule, *J. Chem. Phys.* **68**, 3053–3058.
- [113] Galli, D. and Palla, F. (1998). The chemistry of the early Universe, *Astron. Astrophys.* **335**, 403–420.
- [114] Nussbaumer, H. and Rusca, C. (1979). Forbidden transitions in the C I sequence, *Astron. Astrophys.* **72**, 129–133.
- [115] Nussbaumer, H. and Storey, P.J. (1981). C II two–electron transitions, *Astron. Astrophys.* **96**, 91–95.
- [116] Wiese, W.L., Smith, M.W. and Glennon, B.M. (1966). *Atomic Transition Probabilities, Vol. I. Hydrogen through Neon*, National Standard Reference Data Series (National Bureau of Standards, Washington D.C.).
- [117] Nussbaumer, H. (1977). The Si II spectrum in quasi–stellar objects, *Astron. Astrophys.* **58**, 291–293.
- [118] Nussbaumer, H. and Storey, P.J. (1980). Atomic data for Fe II, *Astron. Astrophys.* **89**, 308–313.
- [119] Launay, J.-M. (1977). Molecular collision processes I. body–fixed theory of collisions between two systems with arbitrary angular momenta, *J. Phys. B: Atomic & Molecular Physics* **10**, 3665–3672.
- [120] Herzberg, G. (1971). *The Spectra and Structures of Simple Free Radicals* (Cornell University Press, Ithaca N.Y.).
- [121] Flower, D.R. and Launay, J.-M. (1977). Excitation of the fine–structure transition of C<sup>+</sup> in collisions with molecular hydrogen, *J. Phys. B: Atomic & Molecular Physics* **10**, L229–L233.
- [122] Karl, G., Poll, J.D. and Wolniewicz, L. (1975). Multipole moments of the hydrogen molecule, *Can. J. Phys.* **53**, 1781–1790.
- [123] Kolos, W. and Wolniewicz, L. (1967). Polarizability of the hydrogen molecule, *J. Chem. Phys.* **46**, 1426–1432.
- [124] Weisheit, J.C. and Lane, N.F. (1971). Low–energy elastic and fine–structure excitation scattering of ground state C<sup>+</sup> ions by hydrogen atoms, *Phys. Rev.* **A4**, 171–182.
- [125] Buckingham, A.D. (1967). Permanent and induced molecular moments and long–range intermolecular forces, in *Intermolecular Forces*, ed. J.O. Hirschfelder (Interscience, New York), pp. 107–142.
- [126] Flower, D.R. and Launay, J.-M. (1977). Molecular collision processes II. Excitation of the fine–structure transition of C<sup>+</sup> in collisions with H<sub>2</sub>, *J. Phys. B: Atomic & Molecular Physics* **10**, 3673–3681.

- [127] Launay, J.-M. and Roueff, E. (1977). Fine-structure excitation of ground-state  $C^+$  ions by hydrogen atoms, *J. Phys. B: Atomic & Molecular Physics* **10**, 879–888.
- [128] Launay, J.-M. and Roueff, E. (1977). Fine-structure excitation of carbon and oxygen by atomic hydrogen impact, *Astron. Astrophys.* **56**, 289–292.
- [129] Wofsy, S., Reid, R.H.G. and Dalgarno, A. (1971). Spin-change scattering of C II and O I by atomic hydrogen, *Astrophys. J.* **168**, 161–167.
- [130] Green, S., Bagus, P.S., Liu, B., McLean, A.D. and Yoshimine, M. (1972). Calculated potential energy curves for  $CH^+$ , *Phys. Rev.* **A5**, 1614–1618.
- [131] Harel, C., Lopez, V., McCarroll, R., Riera, A. and Wahnon, P. (1978). Collision models of intramultiplet transitions at thermal energies, *J. Phys. B: Atomic & Molecular Physics* **11**, 71–84.
- [132] Roueff, E. (1990). Excitation of forbidden Si II fine structure transition by atomic hydrogen, *Astron. Astrophys.* **234**, 567–568.
- [133] Dalgarno, A. and McCray, R.A. (1972). heating and ionization of H I regions, *Ann. Rev. Astron. Astrophys.* **10**, 375–426.
- [134] Schröder, K., Staemmler, V., Smith, M.D., Flower, D.R. and Jaquet, R. (1991). Excitation of the fine-structure transitions of C in collisions with ortho- and para- $H_2$ , *J. Phys. B: Atomic, Molecular & Optical Physics* **24**, 2487–2502.
- [135] Staemmler, V. & Flower, D.R. (1991). Excitation of the  $C(2p^2\ ^3P_J)$  fine structure states in collisions with  $He(1s^2\ ^1S_0)$ , *J. Phys. B: Atomic, Molecular & Optical Physics* **24**, 2343–2351.
- [136] Lavendy, H., Robbe, J.M. and Roueff, E. (1991). Interatomic potentials of the C-He system – Application to fine structure excitation of  $C\ ^3P(J)$  in collisions with He, *Astron. Astrophys.* **241**, 317–320.
- [137] Jaquet, R., Staemmler, V., Smith, M.D. and Flower, D.R. (1992). Excitation of the fine-structure transitions of  $O(^3P_J)$  in collisions with ortho- and para- $H_2$ , *J. Phys. B: Atomic, Molecular & Optical Physics* **25**, 285–297.
- [138] Monteiro, T.S. and Flower, D.R. (1987). Excitation of O I and C I forbidden-line fine structure transitions by He and  $H_2$  – A neglected selection rule, *Mon. Not. Roy. Astron. Soc.* **228**, 101–107.
- [139] Walmsley, C.M., Batrla, W., Matthews, H.E. and Menten, K.M. (1988). Anti-inversion of the 12.1 GHz methanol line towards dark clouds, *Astron. Astrophys.* **197**, 271–273.
- [140] Weinreb, S., Barrett, A.H., Meeks, M.L. and Henry, J.C. (1963). Radio observations of OH in the interstellar medium, *Nature* **200**, 829–831.
- [141] Herzberg, G. (1950). *Molecular Spectra and Molecular Structure I. Spectra of Diatomic Molecules* (Van Nostrand, Princeton N.J.).
- [142] Alexander, M.H. (1985). Quantum treatment of rotationally inelastic collisions involving molecules in  $\Pi$  electronic states: new derivation of the coupling potential, *Chem. Phys.* **92**, 337–344.
- [143] Dewangan, D.P., Flower, D.R. and Alexander, M.H. (1987). Rotational excitation of OH by para- $H_2$ : rate coefficients calculated in an intermediate coupling representation, *Mon. Not. Roy. Astron. Soc.* **226**, 505–512.
- [144] Larsson, M. (1981). Phase conventions for rotating diatomic molecules, *Physica Scripta* **23**, 835–836.



- [145] Alexander, M.H. and Dagdigian, P.J. (1984). Clarification of the electronic asymmetry in  $\Pi$ -state  $\Lambda$ -doublets with some implications for molecular collisions, *J. Chem. Phys.* **80**, 4325–4332.
- [146] Dewangan, D.P. and Flower, D.R. (1985). Rotational excitation of OH by  $\text{H}_2$ : a clarification, *J. Phys. B: Atomic & Molecular Physics* **18**, L137–L140.
- [147] Dixon, R.N., Field, D. and Zare, R.N. (1985). Collisions of OH and other orbitally degenerate molecules: a consistent treatment of the azimuthal dependence of the interaction potential, *Chem. Phys. Letters* **122**, 310–314.
- [148] Poynter, R.L. and Beaudet, R.A. (1968). Predictions of several OH  $\Lambda$ -doubling transitions suitable for radio astronomy, *Phys. Rev. Lett.* **21**, 305–308.
- [149] Brown, J.M., Kerr, C.M.L., Wayne, F.D., Evenson, K.M. and Radford, H.E. (1981). The far-infrared laser magnetic resonance spectrum of the OH radical, *J. Molecular Spectroscopy* **86**, 544–554.
- [150] Coxon, J.A. and Foster, S.C. (1982). Radial dependence of spin-orbit and  $\Lambda$ -doubling parameters in the  $X^2\Pi$  ground state of hydroxyl, *J. Molecular Spectroscopy* **91**, 243–254.
- [151] Weaver, H., Williams, D.R.W., Dieter, N.H. and Lum, W.T. (1965). Observations of a strong unidentified microwave line and of emission from the OH molecule, *Nature* **208**, 29–31.
- [152] Litvak, M.M. (1972). Non-equilibrium processes in interstellar molecules, in *Atoms and Molecules in Astrophysics*, ed. J.R. Carson and M.J. Roberts (Academic Press, New York), pp. 201–276.
- [153] Gwinn, W.D., Turner, B.E., Goss, W.M. and Blackman, G.L. (1973). Excitation of interstellar OH by the collisional dissociation of water, *Astrophys. J.* **179**, 789–813.
- [154] Bertojo, M., Cheung, A.C. and Townes, C.H. (1976). Collisional excitation of  $\Lambda$ -doublet transitions in CH and OH, *Astrophys. J.* **208**, 914–922.
- [155] Dixon, R.N. and Field, D. (1979). Rotationally inelastic collisions of orbitally degenerate molecules: maser action in OH and CH, *Proc. Roy. Soc. London* **A368**, 99–123.
- [156] Dixon, R.N. and Field, D. (1979).  $\Lambda$ -doublet population inversion in collisions of OH, OD, CH, CD and  $\text{NH}^+$ , *Mon. Not. Roy. Astron. Soc.* **189**, 583–591.
- [157] Kaplan, H. and Shapiro, M. (1979). The role of  $\text{H} + \text{OH}$  collisions in pumping the OH 18 cm maser lines, *Astrophys. J.* **229**, L91–L96.
- [158] Shapiro, M. and Kaplan, H. (1979). On the theory of  $\text{H} + \text{OH}(^2\Pi)$  collisions and interstellar OH maser action, *J. Chem. Phys.* **71**, 2182–2193.
- [159] Dewangan, D.P. and Flower, D.R. (1981). Collisional excitation of OH by  $\text{H}_2$ : transitions within the ground state  $\Lambda$ -doublet, *J. Phys. B: Atomic & Molecular Physics* **14**, L425–L429.
- [160] Dewangan, D.P. and Flower, D.R. (1981). Rotational excitation of OH by  $\text{H}_2$  at thermal energies, *J. Phys. B: Atomic & Molecular Physics* **14**, 2179–2190.
- [161] Dewangan, D.P. and Flower, D.R. (1982). Collisional excitation of OH by  $\text{H}_2$  in the interstellar medium, *Mon. Not. Roy. Astron. Soc.* **199**, 457–463.

- [162] Dewangan, D.P. and Flower, D.R. (1983). Rotational excitation of OH by H<sub>2</sub>: calculations in intermediate coupling, *J. Phys. B: Atomic & Molecular Physics* **16**, 2157–2168.
- [163] Rogers, A.E.E. and Barrett, A.H. (1968). Excitation temperature of the 18 cm line of OH in H I regions, *Astrophys. J.* **151**, 163–175.
- [164] Chu, S.-I. (1976). Collisionally induced hyperfine structure transitions of OH, *Astrophys. J.* **206**, 640–651.
- [165] Elitzur, M. (1977). Collisional excitations by charged particles in interstellar clouds, *Astron. Astrophys.* **57**, 179–184.
- [166] Bouloy, D. and Omont, A. (1977). Transitions in  $\Lambda$ -doublets of molecules induced by collisions with ions, *Astron. Astrophys.* **61**, 405–410.
- [167] Bouloy, D. and Omont, A. (1979). Transitions in  $\Lambda$ -doublets of molecules induced by collisions with ions – II, *Astron. Astrophys. Suppl.* **38**, 101–118.
- [168] Johnson, I.D. (1967). A mechanism for maser action of OH molecules in interstellar space, *Astrophys. J.* **150**, 33–45.
- [169] Elitzur, M. (1979). OH main line masers, *Astron. Astrophys.* **73**, 322–328.
- [170] Hartquist, T.W. (1979). A comment on a mechanism for pumping OH masers, *Astrophys. J.* **77**, 361–362.
- [171] Litvak, M.M. (1969). Infrared pumping of interstellar OH, *Astrophys. J.* **156**, 471–492.
- [172] Lucas, R. (1980). The pumping of interstellar OH main line masers: an efficient mechanism, *Astron. Astrophys.* **84**, 36–39.
- [173] Guilloteau, S., Lucas, R. and Omont, A. (1981). Pumping of H II/OH masers by infrared line overlaps, *Astron. Astrophys.* **97**, 347–358.
- [174] Wright, M.M., Gray, M.D. and Diamond, P.J. (2004). The OH ground-state masers in W3(OH) I. Results for 1665 MHz, *Mon. Not. Roy. Astron. Soc.* **350**, 1253–1271; 2004b, MNRAS, 350, 1272–1287.
- [175] Wright, M.M., Gray, M.D. and Diamond, P.J. (2004). The OH ground-state masers in W3(OH) II. Polarization and multifrequency results, *Mon. Not. Roy. Astron. Soc.* **350**, 1272–1287.
- [176] Gray, M.D. (2003). A comparison of models of polarized maser emission, *Mon. Not. Roy. Astron. Soc.* **343**, L33–L35.
- [177] Kochanski, E. and Flower, D.R. (1981). Ab initio calculations of the OH–H<sub>2</sub> potential energy surface, *Chem. Phys.* **57**, 217–225.
- [178] Offer, A.R. (1990). Quantal calculations on the rotational excitation of NH<sub>3</sub> and OH in collisions with H<sub>2</sub>, Ph.D. thesis, University of Durham.
- [179] Andresen, P., Häüsler, D. and Lülf, H.W. (1984). Selective  $\Lambda$ -doublet population in inelastic collisions with H<sub>2</sub>: a possible pump mechanism for the  $^2\Pi_{\frac{1}{2}}$  astronomical OH maser, *J. Chem. Phys.* **81**, 571–572.
- [180] Schinke, R. and Andresen, P. (1984). Inelastic collisions of OH( $^2\Pi$ ) with H<sub>2</sub>: comparison between theory and experiment including rotational, fine structure, and  $\Lambda$ -doublet transitions, *J. Chem. Phys.* **81**, 5644–5648.
- [181] Dewangan, D.P., Flower, D.R. and Danby, G. (1986). Rotational excitation of OH by H<sub>2</sub>: a comparison between theory and experiment, *J. Phys. B: Atomic & Molecular Physics* **19**, L747–L753.

- [182] Offer, A.R. and van Dishoeck, E.F. (1992). Rotational excitation of interstellar OH by para- and ortho-H<sub>2</sub>, *Mon. Not. Roy. Astron. Soc.* **257**, 377–390.
- [183] Condon, E. U. and Shortley, G. H. (1964). *The Theory of Atomic Spectra* (Cambridge University Press, Cambridge)
- [184] Bates, D.R. (1960). Collisions involving the crossing of potential energy curves, *Proc. Roy. Soc. London* **A257**, 22–31.
- [185] McCarroll, R. and Valiron, P. (1976). charge transfer of Si<sup>2+</sup> ions with atomic hydrogen in the interstellar medium, *Astron. Astrophys.* **53**, 83–88.
- [186] Bates, D.R. and McCarroll, R. (1958). electron capture in slow collisions, *Proc. Roy. Soc. London* **A245**, 175–183.
- [187] Gaussorgues, C., Le Sech, C., Masnou-Seeuws, F., McCarroll, R. and Riera, A. (1975). Common trajectory methods for the calculation of differential cross sections for inelastic transitions in atom (ion)–atom collisions I. General theory, *J. Phys. B: Atomic & Molecular Physics* **8**, 239–252.
- [188] Baer, M. (1975). adiabatic and diabatic representations for atom–molecule collisions: treatment of the collinear arrangement, *Chem. Phys. Letters* **35**, 112–118.
- [189] Heil, T.G. and Dalgarno, A. (1979). Diabatic molecular states, *J. Phys. B: Atomic & Molecular Physics* **12**, L557–L560.
- [190] Heitler, W. (1954). *The Quantum Theory of Radiation* (Clarendon Press, Oxford).
- [191] Butler, S.E., Heil, T.G. and Dalgarno, A. (1980). charge transfer of multiply-charged ions with hydrogen and helium: quantal calculations, *Astrophys. J.* **241**, 442–447.
- [192] Watson, W.D. and Christensen, R.B. (1979). Quantal calculations for charge transfer in collisions of C<sup>+3</sup> and N<sup>+3</sup> with H atoms, *Astrophys. J.* **231**, 627–631.
- [193] Gargaud, M., Hanssen, J., McCarroll, R. and Valiron, P. (1981). Charge exchange with multiply charged ions at low energies: application to the N<sup>+3</sup>/H and C<sup>+4</sup>/H systems, *J. Phys. B: Atomic & Molecular Physics* **14**, 2259–2276.
- [194] Butler, S.E. and Dalgarno, A. (1979). charge transfer between N<sup>+</sup> and H, *Astrophys. J.* **234**, 765–767.
- [195] Chambaud, G., Launay, J.-M., Levy, B., Millié, P, Roueff, E. and Tran Minh, F. (1980). Charge exchange and fine structure excitation in O–H<sup>+</sup> collisions, *J. Phys. B: Atomic & Molecular Physics* **13**, 4205–4216.
- [196] Gargaud, M., McCarroll, R. and Valiron, P. (1982). charge transfer ionization of Si<sup>+</sup> by H<sup>+</sup> at thermal energies, *Astron. Astrophys.* **106**, 197–200.
- [197] Baliunas, S.L. and Butler, S.E. (1980). Silicon lines as spectral diagnostics: the effect of charge transfer, *Astrophys. J.* **235**, L45–L48.
- [198] Allan, R.J., Clegg, R.E.S., Dickinson, A.S. and Flower, D.R. (1988). Mg–H<sup>+</sup> charge transfer and Mg line intensities in gaseous nebulae, *Mon. Not. Roy. Astron. Soc.* **235**, 1245–1255.
- [199] Federman, S. R. and Shipsey, E. J. (1983). The <sup>1</sup>D–<sup>3</sup>P transition in atomic oxygen induced by collisions with atomic hydrogen, *Astrophys. J.* **269**, 791–795.

- [200] Shields, G.A., Dalgarno, A. and Sternberg, A. (1983). Line emission from charge transfer with atomic hydrogen at thermal energies, *Phys. Rev.* **A28**, 2137–2140.
- [201] Clegg, R.E.S. and Walsh, J.R. (1985). charge transfer of  $O^{3+}$  with H in planetary nebulae, *Mon. Not. Roy. Astron. Soc.* **215**, 323–333.
- [202] Clegg, R.E.S., Harrington, J.P. and Storey, P.J. (1986). Ne III charge–exchange lines in the planetary nebula NGC 3918, *Mon. Not. Roy. Astron. Soc.* **221**, 61P–67P.
- [203] Dalgarno, A. and Sternberg, A. (1982). The excitation of the triplet lines of  $O^{2+}$  in nebulae, *Mon. Not. Roy. Astron. Soc.* **200**, 77P–80P.
- [204] The Opacity Project Team (1995). *The Opacity Project Vol. 1* (Institute of Physics Publications, Bristol)
- [205] <http://vizier.u-strasbg.fr/OP.html>
- [206] Ramsbottom, C.A., Scott, M.P., Bell, K.L., Keenan, F.P., McLaughlin, B.M., Sunderland, A.G., Burke, V.M., Noble, C.J. and Burke, P.G. (2002). electron impact excitation of the iron peak element Fe II, *J. Phys. B: Atomic, Molecular & Optical Physics* **35**, 3451–3477.
- [207] Flower, D.R. and Seaton, M.J. (1969). A program to calculate radiative recombination coefficients of hydrogenic ions, *Computer Phys. Communications* **1**, 31–34.
- [208] Abgrall, H., LeBourlot, J., PineaudsForêts, G., Roueff, E., Flower, D.R. and Heck, L. (1992). Photodissociation of  $H_2$  and the H/ $H_2$  transition in interstellar clouds, *Astron. Astrophys.* **253**, 525–536.
- [209] Abgrall, H., Roueff, E., Launay, F., Roncin, J.Y. and Subtil, J.L. (1993). Table of the Lyman band system of molecular hydrogen, *Astron. Astrophys. Suppl.* **101**, 273–321.
- [210] Abgrall, H., Roueff, E., Launay, F., Roncin, J.Y. and Subtil, J.L. (1993). Table of the Werner band system of molecular hydrogen, *Astron. Astrophys. Suppl.* **101**, 323–362.
- [211] Abgrall, H., Roueff, E. and Drira, I. (2000). Total transition probability and spontaneous radiative dissociation of B, C, B' and D states of molecular hydrogen, *Astron. Astrophys. Suppl.* **141**, 297–300.